PRODUCT DESCRIPTION

Union World International Group Pty Ltd Water & Wastewater Services



Wshinefloc[®]8385H

Non-ionic Polyelectrolyte

	Non former dryen	20th Office
Typical Properties	s Item	Result
	Appearance	White Granular
	Component	Polyacrylamide
	Charge Density	Low
	Viscosity (0.1% Solution)	Medium
	Ph Value	1~9
(The specific para	meters are subject to the exa	ict test data, for more information
please don't hesi	tate to contact us directly)	
Description W	shinefloc®8385H is a synthetic hig	gh molecular weight polyacrylamide. It is high
	effect with low consumption, used in flotation and sedimentation, especially	
	for inorganic and organic mixed w	rastewater treatment.
Principle Uses W	solids. The sewage can be quic process. Widely applied in mi	fically used in the flocculation of suspended kly clarified by sedimentation and flotation ning processing, printing & dyeing, other kiliaries and soil moisturizing agent etc.
Application & Stora	temperature and high humidity s	be in a cool, dry place and conditions of high hould be avoided. Under such conditions the t may result in excessive moisture up-take and be kept sealed when not in use.
Corrosive propertie	es Corrosion towards most stan	dard materials of construction is very low.
	,	ylene, polypropylene and rubberized surfaces me cases aluminium and galvanised surfaces
a D a	Spillages of Wshinefloc®8385H accordance with local regulations	should be contained and disposed of in .
	•	lutions of product to watercourses should be by adversely affect the mucous membranes on
		are extremely slippery and caution should be

PRODUCT DESCRIPTION

Union World International Group Pty Ltd Water & Wastewater Services



Health & Safety

Wshinefloc®8385H exhibits a very low order of oral toxicity and does not present any abnormal problems in its handling or general use.

Detailed information on handling and any precautions to be observed in the use of the products described in this leaflet can be found in our relevant Materials Safety Data Sheet.

Packaging

Wshinefloc®8385H is supplied in 15kg, 20kg or 25 kg net weight kraft paper bags with inner moisture-proof membrane in palletised shrink-wrapped units of total net weight 1000 kg.

Also can be packaged on the request of customers.

Notes

All trademarks mentioned are either property of or licensed to Union World International Group Pty Ltd. All the advices are guidance but not mandatory. Under no circumstances shall Seller be liable for incidental, consequential or indirect damages for alleged negligence breach of warranty, strict liability, tort or contract arising in connection with the products. Buyer's sole remedy and Seller's sole liability for any claims shall be Buyer's purchase price. Data and results are based on controlled or lab work and must be confirmed by Buyer by testing for the intended conditions of use. The products have not been tested for, and are therefore not recommended for, uses for which prolonged contact with mucous membranes, abraded skin, or blood is intended; or for uses for which implantation within the human body is intended. Please note that products may differ from country to country.

Union World International Group Pty Ltd

Add: 821 Pacific Highway The Zenith center Tower A, Level 20, Room 2045 Chatswood NSW 2067, Australia Tel: 61 2 8448 2083 Fax: 61 2 8448 2010 Email: info@uwwater.com.au

Web: http://www.uwwater.com.au